


- GENERAL NOTES:** (IF PRESENT)
1. RACK MUST COMPLY WITH CITY STANDARD DETAIL 7105-1 OR 7105-2.
 2. RACK INSTALLATION MUST COMPLY WITH CITY STANDARD DETAIL 7105-3, 7105-4, OR 7105-5.
 3. BIKE RACKS MUST BE PLACED IN COMPLIANCE WITH CITY OF AUSTIN CODE SECTION 25-45-47 ITS 2015 AMENDMENT.
 4. BIKE RACKS MUST BE LOCATED WITHIN 7.32m (24') OF EITHER THE MAIN BUILDING ENTRY OR ENTRY TO THE PRIMARY LOCAL USE.
 5. BIKE RACKS MUST BE PLACED PERPENDICULAR TO THE CURB WITH THE CENTERLINE OF THE RACK IN LINE WITH ANY ADJACENT TREES OR LIGHT POLES.
 6. THE MINIMUM CLEARANCE BETWEEN BICYCLE RACK AND ANY PUBLIC OR PRIVATE UTILITY APPURTENANCE MUST BE 0.9m (3').
 7. BIKE RACKS MAY NOT BE MOUNTED ON TOP OF VAULTS OR STORM DRAIN INLETS.

2 BIKE RACK DETAIL



3 | ROCK RIP-RAP DETAIL

SCALE: N.T.S.

SITE PLAN APPROVAL Sheet 53 of 87
 THE NUMBER SP-2018-0202 APPLICATION DATE JULY 2, 2018
 APPROVED BY COMMISSION ON N/A UNDER SECTION 112
 CHAPTER 25-5 OF THE CITY OF AUSTIN CODE.
 EXPIRATION DATE (25-5-81, LDC) 11/4/97 CASE MANAGER ROSEMARY AVILA

[Signature]

Director, Development Services Department
 RELEASED FOR GENERAL COMPLIANCE: 12/6/19 ZONING CS-V

Rev. 1	Correction 1
Rev. 2	Correction 2
Rev. 3	Correction 3

Final plan must be recorded by the Project Expiration Date, if applicable.
 Subsequent Site Plans which do not comply with the Code current at the time of filing, and all required Building Permits and/or a notice of construction (if a building permit is not required), must also be approved by the Project Expiration Date.