

**CITY OF AUSTIN
GENERAL CONSTRUCTION NOTES (CONTINUED):**

1. ALL RESPONSIBILITY FOR THE ADEQUACY OF THESE PLANS REMAINS WITH THE ENGINEER WHO PREPARED THEM. IN REVIEWING THESE PLANS, THE CITY OF AUSTIN MUST RELY ON THE ADEQUACY OF THE WORK OF THE DESIGN ENGINEER.
2. CONTRACTOR SHALL CALL TEXAS 811 (811 OR 1-800-344-8377) FOR UTILITY LOCATIONS PRIOR TO ANY WORK IN A CITY EASEMENT OR STREET RIGHT-OF-WAY.
3. CONTRACTOR SHALL NOTIFY THE CITY OF AUSTIN SITE & SUBDIVISION DIVISION TO SUBMIT REQUIRED DOCUMENTATION, PAY CONSTRUCTION INSPECTION FEES, AND TO SCHEDULE THE REQUIRED SITE AND SUBDIVISION PRE-CONSTRUCTION MEETING. THIS MEETING MUST BE HELD PRIOR TO ANY CONSTRUCTION ACTIVITIES WITHIN THE R.O.W. OR PUBLIC EASEMENTS. PLEASE VISIT: [HTTP://WWW.AUSTINTEXAS.GOV/RAGE/COMMERCIAL-SITE-AND-SUBDIVISION-INSPECTIONS](http://WWW.AUSTINTEXAS.GOV/RAGE/COMMERCIAL-SITE-AND-SUBDIVISION-INSPECTIONS) FOR A LIST OF SUBMITTAL REQUIREMENTS, INFORMATION CONCERNING FEES, AND CONTACT INFORMATION.
4. FOR SLOPES OR TRENCHES GREATER THAN FOUR FEET IN DEPTH, A NOTE MUST BE ADDED STATING "ALL CONSTRUCTION OPERATIONS SHALL BE ACCOMPLISHED IN ACCORDANCE WITH APPLICABLE REGULATIONS OF THE U.S. OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION" (OSHA STANDARDS MAY BE PURCHASED FROM THE GOVERNMENT PRINTING OFFICE; INFORMATION AND RELATED REFERENCE MATERIALS MAY BE PURCHASED FROM OSHA, 611 EAST 6TH STREET, AUSTIN TEXAS.)
5. ALL SITE WORK MUST ALSO COMPLY WITH ENVIRONMENTAL REQUIREMENTS.
6. UPON COMPLETION OF THE PROPOSED SITE IMPROVEMENTS AND PRIOR TO THE FOLLOWING, THE ENGINEER SHALL CERTIFY IN WRITING THAT THE PROPOSED DRAINAGE, FILTRATION AND DETENTION FACILITIES WERE CONSTRUCTED IN CONFORMANCE WITH THE APPROVED PLANS.
 - RELEASE OF THE CERTIFICATE OF OCCUPANCY BY THE DEVELOPMENT SERVICES DEPARTMENT (INSIDE THE CITY LIMITS); OR
 - INSTALLATION OF AN ELECTRIC OR WATER METER (IN THE FIVE-MILE ETC.)

SPECIAL CONSTRUCTION NOTES

1. BLASTING WITHIN THE PROJECT AREA WILL NOT BE ALLOWED WITHOUT A SEPARATE BLASTING PERMIT.
2. THE CONTRACTOR SHALL FURNISH, INSTALL AND MAINTAIN BARRICADES, WARNING SIGNS, FLASHERS, AND OTHER DEVICES OF THE TYPE AND SIZE AS INDICATED IN THE LATEST EDITION OF THE TEXAS MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES, OR AS DIRECTED BY THE ENGINEER.
3. THE CONTRACTOR SHALL MAINTAIN AT LEAST ONE DUST-FREE LANE FOR TRAFFIC WITH FLAGMEN DURING CONSTRUCTION ACTIVITIES AND TWO LANES AT ALL OTHER TIMES. ACCESS TO CONTIGUOUS PRIVATE PROPERTIES SHALL BE MAINTAINED AT ALL TIMES.
4. THE ESTIMATED QUANTITY FOR STANDARD SPECIFICATIONS ITEM NO. 110S, STREET EXCAVATION, WAS CALCULATED FROM THE EXISTING GROUND TO THE ESTABLISHED LINE OF THE SUBGRADE AS SHOWN IN THE TYPICAL ROADWAY SECTIONS.
5. ALL STRUCTURAL CONCRETE SHALL BE CLASS "A" (5 SACK, 28-DAY STRENGTH @ 28 DAYS) AND ALL REINFORCING STEEL SHALL BE GRADE SIXTY, UNLESS OTHERWISE NOTED.
6. THE CONTRACTOR SHALL NOT DISPOSE OF SURPLUS EXCAVATED MATERIAL FROM THE SITE WITHOUT NOTIFYING SITE AND SUBDIVISION INSPECTIONS, AT (912) 974-2278, 48 HOURS PRIOR TO THE REMOVAL. THIS NOTIFICATION SHALL INCLUDE THE DISPOSAL LOCATION AND A COPY OF THE PERMIT ISSUED TO RECEIVE THE MATERIAL, IF APPLICABLE.
 - A. ARE NOT REFLECTED ON THESE DRAWINGS. FOR EXACT LOCATIONS CALL TEXAS 811 (811 OR 1-800-344-8377), 48 HOURS PRIOR TO BEGINNING EXCAVATION.
8. ALL STORM SEWER PIPE SHALL BE RCP, CLASS III, WITH CLASS B BEDDING, UNLESS OTHERWISE NOTED.
9. SIGNS IN THE WAY OF CONSTRUCTION SHALL BE REMOVED AND RELOCATED AS SOON AS POSSIBLE. ALL TRAFFIC CONTROL SIGNS, INCLUDING STOP AND STREET-NAME SIGNS, SHALL NOT BE REMOVED OR RELOCATED WITHOUT THE APPROVAL OF THE PROJECT INSPECTOR AND THE AUSTIN TRANSPORTATION DIVISION. THIS WORK SHALL BE SUBSIDIARY TO OTHER BID ITEMS.
10. ALL SITE WORK MUST COMPLY WITH THE ENVIRONMENTAL REQUIREMENTS.
11. THE GABION BASKETS AND TIE WIRES SHALL BE GALVANIZED GRAY PVC COATED AND SHALL BE INSTALLED WITH A FILTER FABRIC ALONG THE EXCAVATION SURFACE IN ACCORDANCE WITH THE MANUFACTURER'S RECOMMENDATION.
12. THE CONTRACTOR SHALL ERECT AND MAINTAIN A FILTER FABRIC FENCE AT LOCATIONS SHOWN ON THE PLANS AND ANY OTHER LOCATIONS DESIGNATED BY THE ENGINEER. PAYMENT WILL BE MADE UNDER AUSTIN STANDARD SPECIFICATIONS ITEM NO. 820S FILTER FABRIC FENCE.
13. AT INTERSECTIONS WHICH HAVE VALLEY DRAINAGE, THE CROWN OF THE INTERSECTING STREET SHALL CULMINATE AT A DISTANCE OF 30 FEET FROM THE INTERSECTING CURB LINE UNLESS OTHERWISE NOTED.
14. ANY UTILITY METERS IN THE WAY OF THE CONSTRUCTION WILL BE RELOCATED OUTSIDE OF THE PROPOSED CONSTRUCTION AREA BY THE UTILITY OWNER UNLESS SUCH WORK AFFECTING THOSE METERS IS INCLUDED IN THE CONTRACT.
15. ANY AREAS TO RECEIVE TRANSITION PAVEMENT SHALL BE CONSTRUCTED WITH THE SAME TYPICAL SECTION AS THE ADJACENT NEW CONSTRUCTION.
16. ANY EXISTING SIDEWALKS, CURBS OR DRIVEWAYS DISTURBED BY THE CONSTRUCTION SHALL BE REMOVED AND RESTORED WITH SURFACE MATERIALS EQUAL TO OR BETTER THAN THE ORIGINAL.
17. THE REMOVAL OF EXISTING DRIVEWAY PIPE CULVERTS, RIPRAP AND HEADWALLS IN THE WAY OF CONSTRUCTION WILL NOT BE PAID FOR DIRECTLY, BUT SHALL BE SUBSIDIARY TO OTHER BID ITEMS.
18. THE RATE OF HYDRATED LIME APPLICATION USED TO DETERMINE THE QUANTITIES FOR THIS PROJECT IS BY WEIGHT.
19. IN AREAS WHERE EXISTING CURBS AND GUTTERS ARE TO REMAIN, THE OLD PAVING AND BASE MUST BE REMOVED AND THE NEW BASE AND PAVING PLACED AND COMPACTED SO AS NOT TO DISTURB EXISTING CURBS AND GUTTERS.

AMERICANS WITH DISABILITIES ACT:

THE CITY OF AUSTIN HAS REVIEWED THIS PLAN FOR COMPLIANCE WITH CITY DEVELOPMENT REGULATIONS ONLY. THE APPLICANT, PROPERTY OWNER, AND OCCUPANT OF THE PREMISES ARE RESPONSIBLE FOR DETERMINING WHETHER THE PLAN COMPLIES WITH ALL OTHER LAWS, REGULATIONS, AND RESTRICTIONS WHICH MAY BE APPLICABLE TO THE PROPERTY AND ITS USE.

CONSTRUCTION SEQUENCING

1. CALL THE CITY'S SITE AND CONSTRUCTION MANAGEMENT DIVISION, 48 HOURS PRIOR TO BEGINNING ANY WORK. CALL TEXAS 811 (811 OR 1-800-344-8377) FOR UTILITY LOCATIONS AND OBTAIN PERMIT FOR ANY WORK WITHIN CITY OF AUSTIN RIGHT-OF-WAY.
2. INSTALL TEMPORARY EROSION CONTROLS AND TREE PROTECTION FENCING PRIOR TO ANY CLEARING AND GRUBBING. NOTIFY DEVELOPMENT SERVICES DEPARTMENT, SITE AND CONSTRUCTION MANAGEMENT DIVISION, WHEN INSTALLED.
3. ROUGH CUT ALL REQUIRED OR NECESSARY PONDS, EITHER THE PERMANENT OUTLET STRUCTURE OR A TEMPORARY OUTLET MUST BE CONSTRUCTED PRIOR TO DEVELOPMENT OF ANY EMBANKMENT OR EXCAVATION THAT LEADS TO PONDING CONDITIONS. THE OUTLET SYSTEM MUST CONSIST OF A LOW-LEVEL OUTLET AND AN EMERGENCY OVERFLOW MEETING THE REQUIREMENTS OF THE DRAINAGE CRITERIA MANUAL (SECTION 8.3) AND/OR THE ENVIRONMENTAL CRITERIA MANUAL (SECTION 1.4.2.K) AS REQUIRED. THE OUTLET SYSTEM SHALL BE PROTECTED FROM EROSION AND SHALL BE MAINTAINED THROUGHOUT THE COURSE OF CONSTRUCTION UNTIL FINAL RESTORATION IS ACHIEVED.
4. DELIVER APPROVED ROUGH-CUT SHEETS TO THE SITE AND SUBDIVISION INSPECTION DIVISION PRIOR TO CLEARING AND GRUBBING.
5. ROUGH GRADE STREETS. NO DEVELOPMENT OF EMBANKMENT WILL BE PERMITTED AT THIS TIME.
6. INSTALL ALL UTILITIES TO BE LOCATED UNDER THE PROPOSED PAVEMENT.
7. DELIVER STORM SEWER CUT SHEETS TO THE SITE AND SUBDIVISION INSPECTION DIVISION.
8. BEGIN INSTALLATION OF STORM SEWER LINES. UPON COMPLETION, RESTORE AS MUCH DISTURBED AREA AS POSSIBLE, PARTICULARLY CHANNELS AND LARGE OPEN AREAS.
9. DELIVER FINAL GRADE CUT SHEETS TO THE SITE AND SUBDIVISION INSPECTION DIVISION.
10. RE-GRADE STREETS TO SUB-GRADE.
11. INSURE THAT ALL UNDERGROUND UTILITY CROSSINGS ARE COMPLETED. LAY FIRST COURSE BASE MATERIAL ON ALL STREETS.
12. INSTALL CURB AND GUTTER.
13. LAY FINAL BASE COURSE ON ALL STREETS.
14. LAY ASPHALT.
15. COMPLETE ALL UNDERGROUND INSTALLATIONS WITHIN THE RIGHT-OF-WAY.
16. COMPLETE FINAL GRADING AND RESTORATION OF DETENTION, SEDIMENTATION/FILTRATION PONDS.
17. COMPLETE PERMANENT EROSION CONTROL AND RESTORATION OF SITE VEGETATION.
18. REMOVE AND DISPOSE OF TEMPORARY EROSION CONTROLS.
19. COMPLETE ANY NECESSARY FINAL DRESS UP OF AREAS DISTURBED BY ITEM 17.


NOTE:

- * ROUGH GRADING ONLY - STEPS 1 THROUGH 5 ONLY
- * ROUGH GRADING AND UTILITIES ONLY - STEPS 1 THROUGH 8 ONLY
- * FULL SITE DEVELOPMENT PERMIT - ENTIRE SEQUENCING CLEARING AND GRUBBING (UNDER A SITE) DEVELOPMENT PERMIT, SOLELY FOR THE PURPOSE OF SURVEYING AND SOIL EXPLORATION, SHALL BE A HAND CUTTING OR BLADE-UP OPERATION

REVISION DESCRIPTION	DATE	BY	NO.

THIS SEAL APPEARING ON THIS DOCUMENT WAS AUTHORIZED BY
 RYAN A. WHITNEY, P.E.
 L.I.C. 130723

CITY OF AUSTIN, TEXAS
 AUSTIN TRANSPORTATION
 AIM SOUTH LAMAR C1 RIVERSIDE DR
 TO BARTON SPRINGS ROAD
 GENERAL NOTES



NOTES	NAME	DATE
SURVEY BY		
DRAWN BY	GMR	05/02/2014
DESIGNED BY	RAW	09/02/2011
CHECKED BY		02/01/2011
REVIEWED BY		05/02/2014

N.T.S.

SP-2020-0084D

4 OF 298

HDR Engineering, Inc.
 4401 West Gate Boulevard
 Austin, TX 78745
 Texas Registered
 Engineering Firm F-754

R0278348

SCL A-2-2014-NOTE-02.dwg

02/24/2011