






FILTER MEDIA PROPERTIES: Mono-filament Woven Filter Fabric			
PROPERTY	ASTM TEST METHOD	VALUE	C.O.A. REQ'T
Fabric Weight	D 3716	4.5 oz/sy	3 oz/sy
Grab Tensile Strength	D 4632	170 lbs	---
Mullen Burst Strength	D 3786	410 lbs/sq in	120 lbs/sq in
UV Stability	D 4355	80 %	70 %
Water Flow Rate	D 4491	325 gal/min/sq ft	275 gal/min/sq ft

GeoSolutions, Inc. 4417 Burleson Road Austin, Texas 78744 512-330-0796



SITE PLAN RELEASE Sheet 07 of 41

FILE NUMBER: SP-2019-0058C EXPIRATION DATE: 3-13-23
CASE MANAGER: RENEE JOHNS APPLICATION DATE: 12/02/2019
REVIEWED FOR GENERAL COMPLIANCE ON: _____
APPROVED BY PLANNING COMMISSION ON: 3-30-20
APPROVED BY CITY COUNCIL ON: _____
112 Under Section 112 of Chapter 25-6 of Austin City Code.

Director, Development Services Department
RELEASED FOR:
GENERAL COMPLIANCE: _____ Zoning: FUD & CS-H
Rev. 1 _____ Correction 1 _____
Rev. 2 _____ Correction 2 _____
Rev. 3 _____ Correction 3 _____

RELEASE OF THIS APPLICATION DOES NOT CONSTITUTE A VERIFICATION OF ALL DATA, INFORMATION AND CALCULATIONS SUPPLIED BY THE APPLICANT. THE ENGINEER OF RECORD IS SOLELY RESPONSIBLE FOR THE COMPLETENESS, ACCURACY AND ADEQUACY OF THEIR SUBMITTAL, WHETHER OR NOT THE APPLICATION IS REVIEWED FOR CODE COMPLIANCE BY CITY ENGINEERS.